


BIOTECHNOLOGY  
SYSTEMS  
BRANCH



1637

**RAW SEQUENCE LISTING**  
**ERROR REPORT**

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number: 09/544,934B  
Source: 1600  
Date Processed by STIC: 8/9/2002

**RECEIVED**

AUG 09 2002

TECH CENTER 1600/2900

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.

PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
- 2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION QUESTIONS, PLEASE CONTACT MARK SPENCER, 703-308-4212.

FOR SEQUENCE RULES INTERPRETATION, PLEASE CONTACT ROBERT WAX, 703-308-4216.

PATENTIN 2.1 e-mail help: [patin21help@uspto.gov](mailto:patin21help@uspto.gov) or phone 703-306-4119 (R. Wax)

PATENTIN 3.0 e-mail help: [patin3help@uspto.gov](mailto:patin3help@uspto.gov) or phone 703-306-4119 (R. Wax)

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE **CHECKER** **VERSION 3.1 PROGRAM**, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW FOR ADDRESS:

<http://www.uspto.gov/web/offices/pac/checker>

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail.

Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom.

Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

1. EFS-Bio (<<http://www.uspto.gov/efb/efs/downloads/documents.htm>> , EFS Submission User Manual - ePAVE)
2. U.S. Postal Service: U.S. Patent and Trademark Office, Box Sequence, P.O. Box 2327, Arlington, VA 22202
3. Hand Carry directly to:  
U.S. Patent and Trademark Office, Technology Center 1600, Reception Area, 7<sup>th</sup> Floor, Examiner Name, Sequence Information, Crystal Mall One, 1911 South Clark Street, Arlington, VA 22202  
Or  
U.S. Patent and Trademark Office, Box Sequence, Customer Window, Lobby, Room 1B03, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202
4. Federal Express, United Parcel Service, or other delivery service to: U.S. Patent and Trademark Office, Box Sequence, Room 1B03-Mailroom, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202

Revised 01/29/2002

AUG 12 2002

**RECEIVED**

TECH CENTER 1600/2900

1600

PAGE: 1

# RAW SEQUENCE LISTING PATENT APPLICATION US/09/544,934B

DATE: 08/08/2002  
TIME: 21:38:21

INPUT SET: S36902.raw

This Raw Listing contains the General  
Information Section and those Sequences  
containing ERRORS.

#26

## SEQUENCE LISTING

## (1) General Information:

(i) APPLICANT: Henrik Stender  
Kaare Lund  
Tina Anderson Hollerup

Does Not Comply  
Corrected Diskette Needed

pp 1-3

(ii) TITLE OF INVENTION: Novel Process For The Detection of Mycobacteria

(iii) NUMBER OF SEQUENCES: 123

## (iv) CORRESPONDENCE ADDRESS:

(A) ADDRESSEE: JACOBSON HOLMAN PLLC  
(B) STREET: 400 Seventh Street NW  
(C) CITY: Washington  
(D) STATE: District of Columbia  
(E) COUNTRY: USA  
(F) ZIP: 20004

STREET: ← insert a colon  
after each  
heading

## (v) COMPUTER READABLE FORM:

(A) MEDIUM TYPE: Floppy disk 3.5 inch  
(B) COMPUTER: IBM PC compatible  
(C) OPERATING SYSTEM: ASCII  
(D) SOFTWARE: Microsoft Word

## (vi) CURRENT APPLICATION DATA:

(A) APPLICATION NUMBER: 08/943,777  
(B) FILING DATE: October 3, 1997

move to  
PRIOR APP DATA  
section

## (vii) PRIOR APPLICATION DATA:

(A) APPLICATION NUMBER: 60/028,392  
(B) FILING DATE: 10/15/96  
(A) APPLICATION NUMBER: 60/029,595  
(B) FILING DATE: 10/23/96  
(A) APPLICATION NUMBER: 05/05/97  
(B) FILING DATE: 05/08/97

## (viii) ATTORNEY/AGENT INFORMATION:

(A) NAME: William E. Player  
(B) REGISTRATION NUMBER: 31,409

RECEIVED

AUG 12 2002

TECH CENTER 1600/2900

RECEIVED

AUG 09 2002

TECH CENTER 1600/2900